

Designed for plastic pipes



BISMAT[®] 5000

Single screw pipe clamp for plastic pipes




BISMAT® 5000

Easy to close with one hand

UV resistant green EPDM rubber lining

Removable spacer washers

Uniquely designed for plastic pipes



BISMAT® 5000

Single screw pipe clamp for plastic pipes




BISMAT® 5000 is a rubber lined pipe clamp uniquely designed for plastic pipe applications. This two-part clamp has a hinged side and the BISMAT® patented single screw quick locking system. The green EPDM rubber lining is UV resistant and is specifically designed to be smooth to allow for the expansion and contraction of plastic pipes.

The removable spacer washers on the screw are designed to make this clamp suitable for sliding or fixed points. The BISMAT® 5000 is zinc plated to aid corrosion resistance, rated for noise insulating and is also ASTM E-84 plenum rated.

Features and benefits

- BISMAT® quick locking system
- Easy to close with one hand
- Specially formulated age resistant and UV resistant green EPDM rubber lining
- Sound insulating lining according to DIN 4109
- Material steel, zinc plated
- With removable spacer washers, making the clamp suitable for either sliding or anchoring
- Inner part of lining is flush to improve sliding of pipe in clamp
- RAL certified



Part No.	D (mm)	G	B (mm)	H (mm)	h (mm)	b x s (mm)	Fa,z (N)	Box qty (pc)
348 3 018	16	M8	48	40	22	20 x 1.00	350	50
348 3 023	20	M8	55	43	23	20 x 1.00	350	50
348 3 028	25	M8	60	48	26	20 x 1.00	350	50
348 3 035	32	M8	67	57	30	20 x 1.00	350	50
348 3 043	40	M8	75	66	34	20 x 1.25	420	50
348 3 053	50	M8	85	75	37	20 x 1.25	420	50

Tested, certified and monitored by a third party according to RAL-GZ 655/B.

For detailed technical information about our RAL marked products, please see the RAL datasheet in our web catalogue: walraven.com/int.



1. Hinge clamp around pipe.



2. Press to close clamp.



3. Fix screw to lock clamp.

The right combination

BIS Pipe Reinforcement

- Extends distance between supports
- Dimension: 16 - 160mm
- Reduces overall pipe expansion
- Controls direction of pipe expansion
- Self-gripping
- Snap-on effect
- Reinforcement fits inside insulation
- Lightweight and economical



06353xx

12/2017 - Subject to modifications

Find out how we can support you

Would you like to find out more about any of the solutions described in this brochure?
Or would you like to discuss how we could help you find the best possible solution for your project? Get in touch today!

United Kingdom Ireland

Walraven Ltd.

Thorpe Way, Banbury (GB)
Oxon, OX16 4UU
Tel. +44 (0)1295 75 34 00
Fax +44 (0)1295 75 34 28
sales.uk@walraven.com

Other countries

Walraven International

P.O. Box 15
3640 AA Mijdrecht (NL)
Tel. +31 (0)297 23 30 00
Fax +31 (0)297 23 30 99
export@walraven.com

Walraven Group

Mijdrecht (NL) · Tienen (BE) · Bayreuth (DE) · Banbury (GB) · Malmö (SE) · Grenoble (FR) · Barcelona (ES) · Kraków (PL)
Mladá Boleslav (CZ) · Moscow (RU) · Kyiv (UA) · Detroit (US) · Shanghai (CN) · Dubai (AE) · Budapest (HU)

NL



GB

