


Quick and easy
pipe fixing



starQuick[®]

Self-closing clamp





Inspired by smart solutions from the start

Walraven is a globally active company in the installation industry, founded in 1942. We have always been dedicated to make the work of our customers easier and more effective. With simple and smart solutions, comprehensive services and excellent support.

Walraven. The value of smart

starQuick® – the plastic pipe clamp with a difference!

This versatile pipe clip can be used to quickly and securely install multiple pipe runs for heating and plumbing installations. Its clever self-closing feature means the clamp closes securely when the pipe is simply pushed into it. Press the pipe down again to easily unlock if required.

Suitable for copper and plastic pipe Ø10–65mm, the pipe clamp comes with a range of accessories to enable easy fixing to any substrate, rail or strut, and threaded rod. A truly versatile solution!

Feedback from installers

We've had amazing feedback from some installers who say they wouldn't use any other clip!

Peter Booth told us: "I couldn't believe I hadn't seen these clips before, and that one clip had so many features. I really like the two-step closing, so you can still move the pipe before the second click fixes it in place. And they unlock really easily too, without damaging them. I've just replaced all the clips in my van with these."

starQuick®

Features and benefits

Sizes

- Ø 10-65mm
- Special design is also available for pipes 71 – 115mm diameter (see website)

Special properties

- The starQuick® is UV stable so it will not degrade in sunlight like polypropylene clips
- It is corrosion-free, oil resistant, halogen-free, and recyclable

Temperature resistance

- The starQuick® clamps are temperature resistant from -40°C to 90°C (constant) or 130°C (intermittent)

Material and finish

- The clamp is made of Polyamide (PA6) which is a durable, strong and impact resistant
- Available in grey, white or copper colour
- Aesthetically pleasing design, perfect for exposed installations

Specialist environments


- The properties of Polyamide make this clamp suitable for a range of specialist environments such as swimming pools, chemical factories, zinc factories, and outdoor use.

Special installation features

- Easy, self-closing – simply push the pipe into the clamp
- Press the pipe down again to easily unlock
- Ridges to attach clamps together
- Range of fixing accessories

Compatible with the RSWB

To easily fix pipes between floor joists or in stud walls, the starQuick® can be attached to our RSWB (Rapid Sliding Wall Bracket). Find out more at: www.walraven.com/en/rswb



Request a sample

To really appreciate the value of the fixing system, you should try it yourself! Free sample packs are available, including both the starQuick® pipe clamps and a full range of accessories, upon request.

Visit www.walraven.com/en/starquick to request your free sample.



starQuick®

Installation guide

Fixing of two or more pipes




1. Tacking

≤ SQ-28



2. Duo-Wall Plate

≤ SQ-20




3. Fixing Rail

≤ SQ-32

Fixing to wall or floor



Fixing to threaded rod



≤ SQ-51

Fixing with a distance



≤ SQ-36



Fixing to metal rail



■ For BIS RapidRail®



■ Universal Rail Adaptor for BIS RapidRail® and BIS RapidStrut®

≤ SQ-51

*"So much thought
has gone into these
little clips"*

C. Reading

starQuick®

Clamps



Grey	Grey with M6 nut	White	Copper	Type	D (mm)	D (")	D (DN)	Fa,z (N)	Fb,z (N)	Box qty (pc)	Outer box qty (pc)
0854010	-	0855010	-	SQ-10	10 - 12	1/8	6	170	500	100	1200
0854012	0854612	0855012	0855812	SQ-12	12 - 14	1/4	8	180	550	100	1200
0854015	0854615	0855015	0855815	SQ-15	14 - 16	-	-	200	600	100	1200
0854018	0854618	0855018	0855818	SQ-17	16 - 20	3/8	10	230	700	100	800
0854022	0854622	0855022	0855822	SQ-20	20 - 23	1/2	15	270	800	50	600
0854028	0854628	0855028	0855828	SQ-25	24 - 28	3/4	20	280	850	50	600
0854031	0854631	0855031	0855831	SQ-28	28 - 32	-	-	300	900	50	400
0854035	0854635	0855035	-	SQ-32	32 - 35	1	25	330	1000	50	400
0854038	0854638	0855038	-	SQ-36	35 - 40	-	-	370	1100	25	300
0854042	0854642	0855042	-	SQ-40	40 - 44	1 1/4	32	400	1200	25	200
0854050	0854650	0855050	-	SQ-47	44 - 50	-	-	430	1300	25	200
0854054	0854654	0855054	-	SQ-51	48 - 55	1 1/2	40	470	1400	15	180
0854063	-	0855063	-	SQ-59	59 - 65	2	50	500	1500	15	180



Fa = maximum allowed load. Fb = breaking load.



starQuick®

Accessories

	Part No.	Description	Dimension	Box qty (pc)	Outer box qty (pc)
A	0854000	Duo-Wall Plate (grey)	50 mm	100	1200
	0855000	Duo-Wall Plate (white)	50 mm	100	1200
B	0854356	Threaded Rod Adaptor	M6	100	1200
	0854358	Threaded Rod Adaptor	M8	100	1200
C	0854510	Distance Block	10 mm	25	250
D	0854301	Hammer-in Screw	Ø 6 x 40 mm	25	250
E	0854325	Rail	1 m	25	-
F	0854313	Rail Adaptor	starQuick® Rail	20	200
G	0854006	Fixing Nut (grey)	M6	100	1000
	0855006	Fixing Nut (white)	M6	100	1000
	0854308	Fixing Nut (grey)	M8	100	1000
H	6101063	Push Plug	M6	50	500
I	0854338	Hammerfix M8	WMO, 1, 15, 2, 30, 35	50	600
J	0854332	Universal Rail Adaptor	WMO, 1, 15, 2, 30, 35 + Strut	50	600



*A truly versatile
fixing solution!*

Find out how we can support you

Would you like to find out more about any of the solutions described in this brochure?
Or would you like to discuss how we could help you find the best possible solution for your project? Get in touch today!

United Kingdom Ireland

Walraven Ltd.

18 Wildmere Industrial Estate
Banbury (GB)
Oxon, OX16 3JU
Tel. +44 (0)1295 75 34 00
sales.uk@walraven.com

Other countries

Walraven International

P.O. Box 15
3640 AA Mijdrecht (NL)
Tel. +31 (0)297 23 30 00
Fax +31 (0)297 23 30 99
export@walraven.com

Walraven Group

Mijdrecht (NL) · Tienen (BE) · Bayreuth (DE) · Banbury (GB) · Malmö (SE) · Grenoble (FR) · Barcelona (ES) · Kraków (PL)
Mladá Boleslav (CZ) · Moscow (RU) · Kyiv (UA) · Detroit (US) · Shanghai (CN) · Dubai (AE) · Budapest (HU) · Mumbai (IN)
Singapore (SG)

